

# UvA Rescue Team Description Paper Agent competition Rescue Simulation League RoboCup 2014 - João Pessoa - Brazil

Mircea Traichioiu and Arnoud Visser

Universiteit van Amsterdam, Science Park 904, 1098 XH Amsterdam, NL  
<http://www.jointrescueforces.eu>

**Abstract.** The contribution of the UvA Rescue Team is an attempt to lay a theoretical foundation by describing the planning and coordination problem formally as an POMDP problem, which will allow to apply POMDP-solution methods in this application area. To be able to solve the POMDP problem for large state spaces and long planning histories, our team has chosen for an approximation of the Dec-POMDPs through a series of Bayesian Games, each solving a single timestep, referred to as a Forward-Sweep Policy Computation method.

## 1 Introduction

The UvA Rescue Team has a long history. The first participation in the Rescue Simulation League was by Stef Post and Maurits Fassaert, who competed in the 2003 competition in Paduva [11]. In 2006 the first Virtual Robot competition was held. Max Pflingsthor and Bayu Slamet participated in this competition and won the Best Mapping award [9]. The team from Amsterdam started a cooperation with Oxford University in 2008, which continued for 4 years [17, 15, 16, 1]. In 2012 the team operated again under its original name; the UvA Rescue Team [2], which resulted in the Infrastructure award.

During those years the team published several journal articles, book chapters and theses. The team described their approach every year in a Team Description Paper and published their source code<sup>1</sup> with a public license. Finally, the details and rationale behind the code used in the Virtual Robot competition is described in a Technical Report [14], which also contains a complete overview of our publications (up to 2012).

## 2 Approach

The intention of our team is to formulate the coordination problem of the Agent competition in such a way that solution methods of the MultiAgent decision

---

<sup>1</sup> <http://www.jointrescueforces.eu/wiki/tiki-index.php?page=Downloads>

process toolbox [12] can be used. In earlier contributions [10] it was demonstrated that the coordination problem is too large for an optimal solution, yet in recent years much progress is made in approximate solutions [8]. For instance, the online Bayesian Game Approximation (Forward-Sweep Policy Computation) algorithm [4] has been demonstrated to be effective for large multi-agent problems [6], and has been reimplemented into the MADP Toolbox.

In a first attempt, the coordination problem of the Agent competition is described as a DEC-POMDP, following the description in Oliehoek *et al* [8]. A second attempt is made to formulate the problem in a hierarchical manner, inspired by Oliehoek *et al* [7].

## 2.1 General approach

**State Description** The state space for the task of fire fighting in RoboCup Rescue is limited to dynamic factors in the RoboCup Rescue world. Static factors, i.e. factors that do not change throughout the simulation, will not have to be explicitly incorporated in the state space, although they are implicitly present via the transition model.

The earthquake that takes place at the beginning of the simulation has a large effect on the state: buildings collapse and catch fire, these collapses can cause roads to get blocked (in either direction) and civilians to get trapped in debris. Starting from this initial state, fires will spread if left unattended. The fire simulator is based on heat energy as primary concept. Fire propagation's main component is heat radiation, which is simulated by dividing the open (non-building) area of the map in cells for which the air temperature is computed. Other factors that determine the spread of fire are properties of buildings. The dynamic factors are the heat of a building, whether it is burning, how much fuel is left and how much water is put in by extinguish actions. Static properties like the size and composition of a particular building (wood, steel or reinforced concrete) and how close it is to surrounding buildings also influence the spreading of fire. However, because these properties are static, they do not need to be incorporated in the state description. Instead the probability of a particular building  $i$  catching fire given that a neighboring building  $j$  is on fire is modeled through the transition model. Training sessions with RoboCup Rescue simulator will be used to estimate the probabilities used in the POMDP transition function  $P_T$ .

As described in Section 2.2 the state space is divided in a macro level and a micro level. At the macro level the state space is continuous, at the micro level the state space can be made discrete. In particular,  $\mathcal{S} = \times_i \mathcal{S}_i$  is the set of *joint states*, where  $\mathcal{S}_i$  is the set of states available to each agent. The different type of agents (fire-fighters, ambulances, police) have different set of states, but the number of states relevant for the planning can be currently limited to six.

**Actions** The actions for an agent  $i$  in RoboCup Rescue can be divided in domain level actions  $\mathcal{A}_i^d$  and communication actions  $\mathcal{A}_i^c$ . A mobile agent can

perform both a domain level action as communication within one time-step (e.g. a fire-brigade agent can move/extinguish and communicate). This means that the set of actions  $\mathcal{A}_i$  for a mobile agent  $i$  is the Cartesian product of all domain level and communication actions  $\mathcal{A}_i = \mathcal{A}_i^d \times \mathcal{A}_i^c$ . In this section we will discuss the domain level actions  $\mathcal{A}_i^d$ . The subsection at the end of this page will deal with communication actions  $\mathcal{A}_i^c$ .

All mobile agents can perform the *move* action. The argument of this *move* action is a path along which the agent should move. Clearly the *move* actions are dependent on the current position of the agent. Also, there is a maximum distance that an agent can travel in one time-step (333m). This means that two paths that deviate only after this point lead to the same action. Fire-brigades have 2 specialized actions: *extinguish* and *refill*. The *extinguish* action specifies a building and the amount of water (in liters) to direct to that building. The *refill* action restores the water supply of the brigade and can only be performed at ‘refuges’ or ‘hydrants’.

**Observations** As with actions we specify the set of observations for agent  $i$  as the Cartesian product of domain and communication observations  $\mathcal{O}_i = \mathcal{O}_i^d \times \mathcal{O}_i^c$ . Here we treat the domain observations  $\mathcal{O}_i = \mathcal{O}_i^d$ , communication observations  $\mathcal{O}_i^c$  are treated in the next subsection.

At each time-step, only objects within a range of 10m are seen, except for fiercely burning buildings, which can be observed from a larger distance. When an agent executed a *move* action, only observations of the new position are received (i.e. no observations are made ‘en route’). On average 4-6 static objects (building and roads) can be visually observed during a time-step [10].

Observing an object means that the agent receives the object ID, its type and properties. For a road this property is whether or not it is blocked (in both ways), for a building, the so-called ‘fieriness’, is observed. This fieriness factor is a direct function of the amount of fuel and water left in the building and determines the part of the area counted as damaged.

**Communication** Communication is a transaction consisting of both an action (by the sender)  $\mathbf{a}^c$  and an observation (for the receiver)  $\mathbf{o}^c$ . In RoboCup Rescue there are two forms of communication, voice messages and radio messages, with two corresponding specific actions, *speak* and *tell* respectively. Both types of communication are broadcast: voice messages can be picked up by all agents within a certain range from the emitter, while radio messages are received by all agents subscribed to the emitter’s radio channel, regardless of the distance. The restrictions that are posed on communication vary per competition. The number of voice messages emitted per time step is limited, as well as the maximum length of such a message. The restrictions of the radio messages concern the number of channels available and the maximum bandwidth of each channel (i.e. the maximum total capacity of the channel per time step). Furthermore, messages of both types can be dropped out by the kernel, simulating faulty communication systems.

In a Dec-POMDP, we can model communication by introducing communication actions and observations. The basic idea is that for each joint communication action  $\mathbf{a}^c$  one joint communication observation  $\mathbf{o}^c$  can be introduced that for each agent contains the messages sent by the other agents. Restrictions with respect to communication distance can be modeled by making communication dependent on the (next) state  $s'$ . That is, it is possible to specify a communication model of the form  $\Pr(\mathbf{o}^c|\mathbf{a}^c, s')$ .

The complete observation model is then given as the product of this communication model and the regular, domain observation model:

$$\Pr(\langle \mathbf{o}^d, \mathbf{o}^c \rangle | \langle \mathbf{a}^d, \mathbf{a}^c \rangle, s') = \Pr(\mathbf{o}^c | \mathbf{a}^c, s') \cdot \Pr(\mathbf{o}^d | \mathbf{a}^d, s').$$

In a pure planning framework, messages have no a-priori semantics. Instead the planning process should embed the ‘optimal meaning’ in each communication action.

**Transition, observation and reward model** The transition model of a factored Dec-POMDP can be compactly described by a two-stage dynamic Bayesian network (DBN). Because the state description is the same as used by the simulator components, these structure and probabilities for this DBN can be found by analyzing the code of the simulation system. For the (domain) observation model we can make a similar argument.

The reward function is easily derived from the scoring function. A typical scoring function is

$$Score(s) = (P + S/S_0) \cdot \sqrt{B/B_0}, \quad (1)$$

where  $P$  is the number of living agents,  $S_0$  is the total sum of health points (HPs) at start of the simulation,  $S$  is the remaining sum of HPs,  $B_0$  is the total area of houses,  $B$  is the area of houses that remained undamaged.

This gives us the reward function of the Dec-POMDP in the following way:

$$R(s, \mathbf{a}, s') = R(s, s') = Score(s') - Score(s).$$

The horizon is finite in the RoboCup Rescue competition (100-1000 time-steps)<sup>2</sup>. However in the real-life setting we will typically want to plan for a varying horizon (until all fire is extinguished and all trapped people are either rescued or dead). This can be accomplished by treating the problem as one of infinite horizon.

## 2.2 Hierarchical approach

As mentioned in subsection 2.1, the state description depends on a large number of factors. Unless an efficient encoding of these elements is devised, the state space becomes prohibitively large, as shown in [8]. One way to address this issue is to consider an hierarchical approach, such as the one described in [7], under

<sup>2</sup> <http://roborescue.sourceforge.net/2014/rules2014.pdf> - Section 8.

which the general problem is subdivided into multiple, simpler problems, organized hierarchically. For each of these problems, the state space and associated action space are greatly reduced, thus allowing efficient reasoning.

For our hierarchical approach we will consider only two levels of abstraction, with a less conventional method for the macro level and a Dec-POMDP model for the micro-level. The goal of reasoning at the macro level is to efficiently distribute the agents along the map in order to address the existent threats (i.e. rescue victims, extinguish fires and clear roads). Consequently, the role of the agents at the micro level is to effectively address the threats in the area assigned at the macro level.

**Macro level** To illustrate the macro-level approach, let us first consider just the problem of rescuing buried and/or injured civilians. Each discovered civilian can be viewed as a sample drawn from a hidden "threat" distribution over the 2D space of the map. The ambulance agents can then be considered to "generate" a "help" distribution around their position (for example a Gaussian, albeit better choices may be possible). Thus, the goal at a macro level would be to fit the "help" distributions such that they approximate as well as possible the "threat" distribution, which can be done using Expectation Maximization or a similar algorithm.

For this approach to yield satisfactory results, additional constraints must be taken into consideration, such as restricting the values of the covariances of "help" distributions, such that they reflect reasonably small areas which can be dealt with efficiently by an agent at the micro-level. Also, in order to be able to deal with the undiscovered victims, a total number of citizens can be assumed (e.g. a function of the total number of buildings). Subtracting the observed ones from this total number, gives an estimative number of unknown victims, which can then be distributed uniformly over the unexplored space. As more victims get observed, these randomly distributed points decrease in number and the estimation of the "threat" distribution becomes more accurate. After fitting, the means of the "help" distributions would indicate towards which points of the map should the ambulances focus.

However, in the case of the firefighting agents, this approach may be sub-optimal, due to the dynamic behaviour of the fire spreading which requires a closer agent collaboration. Thus, for the firefighting agents a different macro level approach is considered, based on a Bayesian Game Approximation (BaGA) algorithm [3]. Firstly, a central agent (either a fire station or a commonly agreed "leader") would aggregate fire reports made by all agents into clusters based on their proximity. Secondly, it would create an auction for a number of the fire brigades for each cluster, based on the total area of the buildings in the cluster. The fire brigades would then bid according to their distance to the cluster, the closest being assigned to attend the respective cluster. Finally, the BaGA algorithm would be employed to determine the best assignments of agents to burning buildings in the cluster. Similarly to other decision theoretic planning algorithms, BaGA requires the definition of states, observations, actions, rewards

and transition and observation models. For the considered task, the states encode the fieriness of each building in the cluster, the observations indicate the limited information about the cluster available to each agent, the actions indicate which building is assigned to a particular agent, while the rewards take into consideration domain-specific information, such as preferences for buildings on the convex hull of the cluster, as well as the distance between each agent and building in the cluster. The choice for the BaGA algorithm is motivated by the fact that it takes into consideration the partial observability character of the agent’s perception, and also because it is flexible enough to allow variation in the number of agents and burning buildings in the cluster, from one timestep to the next. Alternatively, the agent-building assignment task can be solved using Distributed constraint optimization (DCOP) techniques, as suggested in the Multi-Agent Challenge [5].

**Micro level** In order to enable an efficient behavior of the agents at a tactical level, regardless of the actual position on the map where they get assigned by the macro level reasoning, a new state space must be devised. This state space must be general enough so as not to depend on the particularities of the map, yet informative enough to enable meaningful reasoning. However, balancing between these two characteristics, as well as choosing relevant "sufficient statistics" to include in the state description is not straight forward.

Taking into account the fact that each agent type has different specific goals as well as specific actions, it seems reasonable to have specific state and action definitions for each agent type.

In our Team Description Paper for the Iran Open [13], a micro-level model for each of the agents is proposed.

**Table 1.** Micro-Level Models

Agent	Observations $\mathbf{o}^d$	Actions $\mathbf{a}^d$	Transmissions $\mathbf{a}^c$	Remote observations $\mathbf{o}^c$
Ambulance	4	6	5	3
Fire	5	7	6	4
Police	2	2	5	2

Based on our experience (e.g. at the Iran Open), the micro-level model could be adjusted with new actions, observations or communications. Yet, care has to be taken on the size of the action and observation sets to be able to learn a policy with a DEC-POMDP solver.

Since we have defined a new set of more general actions and observations, the corresponding transition model needs to be learned, as it cannot be directly inferred from the simulator, which could be plausible in the case of a more straight-forward definition of the Dec-POMDP. Obviously, the proposed model for the micro-level achieves the reduced number of actions and observations by abstracting and ignoring certain observed details. These may be related to

particularities of the map, as well as specific situations arising from the random nature of the events. However, these omitted details can have a significant effect on the transition model and a sufficient learning time must be considered in order to achieve a general enough transition model. This would require a number of simulation runs within which a transition probability table would be constantly updated with respect to the specific circumstances an agent finds itself in. Should these details prove to have a too great of an influence on the transition model, additional observations, actions and/or communications may be required in order to ensure an efficient generalization of the problem.

**Boundary Micro/Macro level** One thing we like to experiment with is the sensitivity of the planning for the boundary between the Micro and Macro level. When the Micro level is defined by the maximum distance of perception, the partial observability assumption no longer holds and problem reduces to a MDP. In addition, the number of agents which should be included in the decision process also is reduced. The coordination between teammates is handled in that case on a Macro level; distributing the agents over the map.

### 3 Conclusion

The UvA Rescue Team looks forward to be active again in the Agent competition of the Rescue Simulation. The UvA Rescue Team will attempt to make state-of-the-art decision making algorithms applicable to this domain by finding the appropriate boundary between planning on a micro and a macro level.

### References

1. N. Dijkshoorn, H. Flynn, O. Formisma, S. van Noort, C. van Weelden, C. Bastiaan, N. Out, O. Zwennes, S. S. Otárola, J. de Hoog, S. Cameron and A. Visser, “Amsterdam Oxford Joint Rescue Forces - Team Description Paper - RoboCup 2011”, in “Proc. CD of the 15th RoboCup International Symposium”, June 2011.
2. N. Dijkshoorn and A. Visser, “An elevation map from a micro aerial vehicle for Urban Search and Rescue”, Proceedings CD of the 16th RoboCup Symposium, Mexico, July 2012.
3. R. Emery-Montemerlo, G. Gordon, J. Schneider and S. Thrun, “Approximate solutions for partially observable stochastic games with common payoffs”, in “Autonomous Agents and Multiagent Systems, 2004. AAMAS 2004. Proceedings of the Third International Joint Conference on”, pp. 136–143, IEEE, 2004.
4. R. Emery-Montemerlo, G. Gordon, J. Schneider and S. Thrun, “Game theoretic control for robot teams”, in “Proceedings of the IEEE International Conference on Robotics and Automation (ICRA)”, pp. 1163–1169, 2005.
5. A. Kleiner, A. Farinelli, S. Ramchurn, B. Shi, F. Maffioletti and R. Reffato, “RMASBench: benchmarking dynamic multi-agent coordination in urban search and rescue”, in “Proceedings of the 2013 international conference on Autonomous agents and multi-agent systems”, pp. 1195–1196, International Foundation for Autonomous Agents and Multiagent Systems, 2013.

6. Štefan Konečný, *Lossless clustering of multi-agent beliefs to approximate large horizon Dec-POMDPs*, Master's thesis, Universiteit van Amsterdam, October 2011.
7. F. A. Oliehoek and A. Visser, "A hierarchical model for decentralized fighting of large scale urban fires", in "International Conference on Autonomous Agents and Multi-Agent Systems (AAMAS)", May 2006.
8. F. A. Oliehoek and A. Visser, *Interactive Collaborative Information Systems, Studies in Computational Intelligence*, volume 281, chapter A Decision-Theoretic Approach to Collaboration: Principal Description Methods and Efficient Heuristic Approximations, pp. 87–124, Springer-Verlag, Berlin Heidelberg, March 2010.
9. M. Pflingsthorn, B. Slamet, A. Visser and N. Vlassis, "UvA Rescue Team 2006; RoboCup Rescue - Simulation League", in "Proc. CD of the 10th RoboCup International Symposium", 2006.
10. S. B. M. Post and M. L. Fassaert, *A communication and coordination model for 'RoboCupRescue' agents*, Master's thesis, Universiteit van Amsterdam, June 2004.
11. S. B. M. Post, M. L. Fassaert and A. Visser, "The high-level communication model for multiagent coordination in the RoboCupRescue Simulator", in "7th RoboCup International Symposium", *Lecture Notes on Artificial Intelligence*, volume 3020, pp. 503–509, Springer-Verlag, 2004.
12. M. T. J. Spaan and F. A. Oliehoek, "The MultiAgent Decision Process toolbox: software for decision-theoretic planning in multiagent systems", in "AAMAS Workshop on Multi-agent Sequential Decision Making in Uncertain Domains", pp. 107–121, 2008.
13. M. Traichioiu and A. Visser, "UvA Rescue - Team Description Paper - Agent competition - Rescue Simulation League - Iran Open 2014", February 2014.
14. A. Visser, "UvA Rescue Technical Report: A description of the methods and algorithms implemented in the UvA Rescue code release", Technical Report IAS-UVA-12-02, Informatics Institute, University of Amsterdam, The Netherlands, December 2012.
15. A. Visser, G. E. M. de Buy Wenniger, H. Nijhuis, F. Alnajar, B. Huijten, M. van der Velden, W. Josemans, B. Terwijn, C. Walraven, Q. Nguyen, R. Sobolewski, H. Flynn, M. Jankowska and J. de Hoog, "Amsterdam Oxford Joint Rescue Forces - Team Description Paper - RoboCup 2009", in "Proc. CD of the 13th RoboCup International Symposium", July 2009.
16. A. Visser, Q. Nguyen, B. Terwijn, M. Hueting, R. Jurriaans, M. van de Veen, O. Formsmma, N. Dijkshoorn, S. van Noort, R. Sobolewski, H. Flynn, M. Jankowska, S. Rath and J. de Hoog, "Amsterdam Oxford Joint Rescue Forces - Team Description Paper - RoboCup 2010 and Iran Open", in "Proc. CD of the 14th RoboCup International Symposium", July 2010.
17. A. Visser, T. Schmits, S. Roebert and J. de Hoog, "Amsterdam Oxford Joint Rescue Forces - Team Description Paper - RoboCup 2008", in "Proc. CD of the 12th RoboCup International Symposium", July 2008.